


## EVOLine® Frame Dock




## Supply EVOLine U-Dock

Examples of supply modules  
for circuit 1 and 2  
(IT circuit Red)


Through the end cap LEFT  
and / or end cap  
RIGHT




End cap to  
individually  
use with cable  
and end splices.



End cap with cable  
and plug.  
Variants available.




End cap with two  
cables and plugs.  
Variants available.




End cap with cable  
and connectors.


# EVOLine® Frame Dock



In case of power and data: Power out of the end cap, data out of the bottom of the profile.



End cap with plug connectors GST 18/3-plug, power input



End cap with WAGO Winsta plug power input.

The EVOLine® Frame Dock offers a lot of new options:

Not only the nearly unlimited variants of combination out of our large module collection, also the multitude of application make the EVOLine® Frame Dock to an universal problem solver.

**EVOLine® U-Dock Individual**

Just choose the modules and the configuration!

With the modular design of EVOLine® U-Dock you have the opportunity to customise your model the way you wish.

**How to order**  
**Page 152-153**

## Screw cover




Silver



Black

## Surface variations



Silver

other surface variations on request.



Socket modules

Page 200 - 219



Data modules

Page 220 - 239



Multimedia modules

Page 240 - 255



Pushbutton and switch modules

Page 256 - 261



Protection modules

Page 262 - 265

# 1

**Selection  
EVoline®  
Frame Dock  
profile**  
Page 155



**Empty housing EVoline®  
Frame Dock**


Order number:  
9331 2180 0000

# 2

**Selection  
EVoline®  
modules**  
Page 201 - 271



**3 x socket VDE**  
Order number:  
9330 0090 0000



**Combination  
module  
VGA / Audio**  
Order number:  
9330 7920 0000



**USB module**  
Order number:  
9330 1040 0000



**Data module  
CAT 6**  
Order number:  
9330 3920 0000

# 3

**Selection  
EVoline®  
supply cable**  
Page 220 - 221



**Supply cable  
modules**  
Order number:  
9330 2680 0000  
9330 8960 0000

Desired end cap  
with or without  
mounting tabs,  
Please specify

All cable lengths are  
measured from the  
connection point and  
mounting position of the  
modules in the profile.

**Please note for  
module selection:**

**the profile number determines  
the permissible combination of  
modules and profiles.**


EVoline® Profile type	No.
EVoline® Dock / R-Dock	1
<b>EVoline® U-Dock / Frame Dock</b>	<b>2</b>
EVoline® Port	3
EVoline® Port Lounge	4
EVoline® Vertical	5
EVoline® SubDesk	6
EVoline® Caddy	7
EVoline® FlipTop	8
EVoline® V-Dock	9

4

Your  
EVOLine®  
U-Dock  
Individual

5

Selection  
EVOLine®  
accessories  
Page 281 - 287



EVOLine®  
Cable-  
Management  
to protect  
your cable  
distribution  
Page 272- 279

**Ordering information:**

After receiving your order  
a product drawing will be sent  
to you, that you release with  
your signature, thus avoiding  
wrong orders.

Our general conditions of sale  
apply for all orders.  
[www.schulte.com](http://www.schulte.com)

Subject to technical changes.

The goods are not marked  
with EAN-codes.  
If required, please order  
separately.

Article	Picture	Specification	Type
<b>EVoline® Frame Dock SMALL</b> with screw cover. Aluminium housing three sockets, 60°, 16 A, with contact protection of Germany, Austria * 3 m supply cable with plug, Power inlet in the back of the profile.		Silver anodized with Black screw cover	<b>1596 1000 0900</b>
<b>EVoline® Frame Dock DATA SMALL</b> with screw cover. Aluminium housing three sockets, 60°, 16 A, with contact protection of Germany, Austria * 3 m supply cable with plug, two modular couplings for patch cable RJ45 to RJ45, 1:1 interconnected CAT6 shielded. Power and data inlet in the back of the profile.		Silver anodized with Black screw cover	<b>1596 1000 1000</b>
<b>EVoline® Frame Dock MEDIUM</b> with screw cover. Aluminium housing four sockets, 60°, 16 A, with contact protection of Germany, Austria * 3 m supply cable with plug, Power inlet in the back of the profile.		Silver anodized with Black screw cover	<b>1596 1000 1200</b>
<b>EVoline® Frame Dock MEDIUM</b> with screw cover. Aluminium housing four sockets, 60°, 16 A, with contact protection of Germany, Austria * 3 m supply cable with plug, two modular couplings for patch cable RJ45 to RJ45, 1:1 interconnected CAT6 shielded. Power and data inlet in the back of the profile.		Silver anodized with Black screw cover	<b>1596 1000 1300</b>

2) Appropriate socket types for international requirements can be found on page 203

# EVOLine® Frame Dock Individual

Article

Picture

Specification

Type

**Just combine the modules in the basic profile of your choice!**  
Thanks to the modular design of the EVOLine® U-Dock, you have the option to compile an individual model according to your wishes.

**More information about  
„How to order EVOLine®“  
See pages 152–153**

**Empty housing EVOLine® Frame Dock**  
Aluminium housing



Silver anodized  
with Black screw cover

**9331 2180 0000**

Silver anodized  
with Black screw cover

**9331 2550 0000**

2) Appropriate socket types for international requirements can be found on page 203