


EVOLINE® U-Dock




**Supply EV0line U-Dock**

Examples of supply modules  
for circuit 1 and 2  
(IT circuit Red)


Through the end cap LEFT  
and / or end cap  
RIGHT




End cap to  
individually  
use with cable  
and end splices.



End cap with cable  
and plug.  
Variants available.



End cap with two  
cables and plugs.  
Variants available.




End cap with cable  
and connectors.


# EVOLine® U-Dock

The EVOLine® U-Dock offers entirely new possibilities.


Not only the almost unlimited combinations from the rich modules selection, but the many applications make the EVOLine® U-Dock to an universal solution.




End cap with GST18/3 plug power input




End cap with GST18/3 plug and socket, two circuits



End cap with GST18/3 plug and socket, power input/output



End cap with Wago Winsta plug power input



End cap with Wago Winsta/3 plug power input/output

### EVOLine® U-Dock Individual

Just choose the modules and the configuration!  
With the modular design of EVOLine® U-Dock you have the opportunity to customise your model the way you wish.

### How to order Page 152-153

### Surface



other surfaces on request

Silver



Socket modules

Page 200 - 219



Data modules

Page 220 - 239



Multimedia modules

Page 240 - 255



Pushbutton and switch modules

Page 256 - 261



Protection modules

Page 262 - 265

# 1

**Selection  
EVOLine®  
U-Dock profile**  
Page 155



Empty profile EVOLine® U-Dock  
Silver

Order number:  
9330 8510 0000


# 2

**Selection  
EVOLine®  
modules**  
Page 201 - 271




2 x Sockets  
VDE

Order number:  
9330 0090 0000



Audio Video  
modules  
VGA / Audio

Order number:  
9330 7920 0000



Data modules  
CAT 6

Order number:  
9330 3920 0000

# 3

**Selection  
EVOLine®  
supply cable**  
Page 220 - 221



Supply cable  
modules

Order number:  
9330 2680 0000  
9330 8960 0000

Desired end cap  
with or without  
mounting tabs,  
Please specify

All cable lengths are measured from the connection point and mounting position of the modules in the profile.

Please note for  
module selection:

the profile number determines  
the permissible combination of  
modules and profiles.

| EVOLine® Profile type               | No.      |
|-------------------------------------|----------|
| EVOLine® Dock / R-Dock              | 1        |
| <b>EVOLine® U-Dock / Frame Dock</b> | <b>2</b> |
| EVOLine® Port                       | 3        |
| EVOLine® Port Lounge                | 4        |
| EVOLine® Vertical                   | 5        |
| EVOLine® SubDesk                    | 6        |
| EVOLine® Caddy                      | 7        |
| EVOLine® FlipTop                    | 8        |
| EVOLine® V-Dock                     | 9        |

4

Your  
EVoline®  
U-Dock  
Individual

5

Selection  
EVoline®  
accessories  
Page 281 - 287



**EVoline®  
Cable-  
Management**  
to protect  
your cable  
distribution  
Page 272- 279

**Ordering information:**

After receiving your order a product drawing will be sent to you, that you release with your signature, thus avoiding wrong orders.

Our general conditions of sale apply for all orders.  
[www.schulte.com](http://www.schulte.com)

Subject to technical changes.

The goods are not marked with EAN-codes.  
If required, please order separately.

| Article   | Picture  | Specification   | Type  |
|---|--|---|---|
| <p><b>EVOLine® U-Dock SMALL</b><br/>Aluminium housing three sockets, 60°, 16 A, with contact protection Germany, Austria 2)<br/>Power input / output in the End cap, with GST 18 / 3 plug<br/>GST 18 / 3 output socket</p>  |   | <p>Silver anodised with mounting tabs</p> <p>Silver anodised without fixing</p> | <p>1596 0000 9500</p> <p>1596 0000 9600</p> |
| <p><b>EVOLine® U-Dock DATA SMALL</b><br/>three sockets, 60°, 16 A, with contact protection Germany, Austria 2)<br/>Power input / output in the End cap, with GST 18 / 3 plug<br/>GST 18 / 3 output socket, two angled modular couplings to receive patch cables<br/>RJ 45 to RJ 45, 1:1, CAT6 shielded<br/>cable management: data through the end cap</p>   |   | <p>Silver anodised with mounting tabs</p> <p>Silver anodised without fixing</p> | <p>1596 0000 5900</p> <p>1596 0000 3300</p> |
| <p><b>EVOLine® U-Dock MULTIMEDIA</b><br/>Aluminium housing three sockets, 60°, 16 A, with contact protection Germany, Austria 2)<br/>Power input / output in the End cap, with GST 18 / 3 plug<br/>GST 18 / 3 output socket<br/>VGA 15-pol. HDD connector, an audio jack 3,5 mm, a USB 2.0 Type A connector, each with 3,0 m cable with plug<br/>two modular couplings for patch cable RJ 45 to RJ 45, 1:1 interconnected, CAT6 shielded,<br/>data/multimedia cable management: through the end cap</p> |  | <p>Silver anodised with mounting tabs</p> <p>Silver anodised without fixing</p> | <p>1596 0000 6500</p> <p>1596 0000 3900</p> |

2) Appropriate socket types for international requirements can be found on page 203

# EVOLine® U-Dock Individual

Article

Picture

Specification

Type

**Just combine the modules in the basic profile of your choice!**  
Thanks to the modular design of the EVOLine® U-Dock, you have the option to compile an individual model according to your wishes.

**More information about  
„How to order EVOLine®“  
See pages 152-153**

**Empty EVOLine® U-Dock**  
Aluminium housing



Silver anodised

**9330 8510 0000**

Desired end cap  
with or without mounting tabs.  
Please specify