

# Wiha Classic.

The classic for a range of uses.



*The Wiha Classic, resistant to chemicals and oils, impact resistant and cadmium-free – and also copes with a few hammer blows.*

The Classic screwdriver from Wiha proves its reliability on a daily basis in a wide variety of applications. Its robust handle of high quality plastic is impact resistant, shatter-proof and recyclable.

Users appreciate its versatility and high quality, which is also conveyed by the hardened chrome-vanadiummolybdenum steel blade.



*Wiha Classic – the robust and diverse square handle.*



*The slender Classic even fits into the narrow pockets of work trousers.*



## Wiha Classic.

- Universal use, and successful for many years
- Robust, large-surface handle made of impact-resistant plastic material, chemical and oil-resistant
- Smooth handle surface allows easy cleaning
- Wiha ChromTop®-finish on tip for a perfect fit every time

## For slotted screws.

**186** Classic slotted screwdriver.**Round blade.**

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Tip and blade width identical up to size 6.0.

Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.

Application: For universal use in trade and industry.

Extra: Series includes extra long dimensions for screws that are difficult to access.

Order-No.	①	↔	⊖	●	↔	↔	↔
00201	2.0	40	0.4	2.0	100	14	10
00202	2.0	60	0.4	2.0	120	14	10
00203	2.5	50	0.4	2.5	110	14	10
00204	2.5	75	0.4	2.5	150	19	10
00206	3.0	75	0.5	3.0	150	19	10
00207	3.0	100	0.5	3.0	175	19	10
00208	3.0	150	0.5	3.0	225	19	10
00209	3.0	200	0.5	3.0	285	22	10
00210	3.0	300	0.5	3.0	385	22	5
00211	3.5	100	0.6	3.5	175	19	10
00212	4.0	100	0.8	4.0	185	22	10
00213	4.0	150	0.8	4.0	235	22	10
00214	4.0	200	0.8	4.0	285	22	10
00215	4.0	300	0.8	4.0	385	22	5
00218	5.0	100	0.9	5.0	195	24	10
00219	5.0	150	0.9	5.0	245	24	10
00220	5.0	200	0.9	5.0	295	24	10
00221	5.0	300	0.9	5.0	395	24	5
00222	5.5	100	1.0	5.5	195	24	10
00223	5.5	150	1.0	5.5	245	24	10
00226	6.0	100	1.1	6.0	205	28	10
00227	6.0	150	1.1	6.0	255	28	10
00229	6.0	300	1.1	6.0	405	28	5
00230	7.0	150	1.2	6.0	255	28	10
00231	8.0	150	1.2	7.0	265	32	10
00234	8.0	300	1.2	7.0	415	32	5
00235	10.0	200	1.6	8.0	315	32	5
00236	10.0	300	1.6	8.0	415	32	5
00237	10.0	500	1.6	8.0	615	32	5

**148** Classic slotted screwdriver.**Round blade.**

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Anti-Cam-Out ribs on tips from size 5.5.

Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.

Application: For universal use in trade and industry.

Order-No.	①	↔	⊖	●	↔	↔	↔
00097	2.5	75	0.4	3.5	150	19	10
00098	3.5	90	0.5	4.0	175	22	10
00099	4.5	100	0.7	5.0	195	24	10
00100	5.5	120	0.95	6.0	225	28	10
00101	7.0	140	1.05	7.0	225	32	10
00102	9.0	160	1.2	8.0	275	32	10
00103	10.0	180	1.4	8.0	305	36	10

## For Phillips, Pozidriv and TORX® screws.

**153** Classic Phillips screwdriver.**Round blade.**

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.

Standards: ISO 8764.

Application: For universal use in trade and industry.

Order-No.	⊕	↔	●	↔	↔	↔
00109	PH0	60	3.0	135	19	10
00111	PH1	80	4.5	175	24	10
00112	PH1•	200	4.5	295	24	10
00115	PH2	100	6.0	205	28	10
00116	PH2•	250	6.0	355	28	10
00117	PH2•	350	6.0	455	28	5
00119	PH3	150	8.0	265	32	10
00120	PH3•	300	8.0	415	32	5

• Additional dimension, Non-DIN size.

**222** Classic Pozidriv screwdriver.**Round blade.**

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.

Standards: ISO 8764.

Application: For universal use in trade and industry.

Order-No.	⊕	↔	●	↔	↔	↔
00416	PZ0	60	3.0	135	19	10
00418	PZ1	80	4.5	175	24	10
00422	PZ2	100	6.0	205	28	10
00423	PZ2•	250	6.0	355	28	5
00426	PZ3	150	8.0	265	32	10

• Additional dimension, Non-DIN size.

**360** Classic TORX® screwdriver.**Round blade.**

Blade: Chrome-vanadium steel, through hardened, black-finish.

Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.

Application: For universal use in trade and industry.

Order-No.	⊕	↔	●	↔	↔	↔
05280	T5	50	2.5	110	14	10
01264	T6	50	3.5	125	19	10
01266	T8	60	3.5	135	19	10
01267	T9	60	4.0	145	22	10
01268	T10	80	4.0	175	24	10
01269	T15	80	4.0	175	24	10
01270	T20	100	4.0	205	28	10
01271	T25	100	4.5	205	28	10

# Wiha Classic.

The classic for a range of uses.

## For hex nuts and hex socket screws.



### 353 Classic hex screwdriver.

#### Hex blade.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.  
Application: For universal use in trade and industry.

Order-No.	⌀	↔	↔	↔	↔
01224	1.5	60	120	14	10
01225	2	60	120	14	10
01226	2.5	75	150	19	10
01227	3	75	150	19	10
01228	4	75	160	22	10
01229	5	75	170	24	10



### 342 Classic hex nut driver.

#### Round blade.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Deep drawn socket.  
Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.  
Standards: DIN 3125.  
Application: For universal use in trade and industry.

Order-No.	⌀	↔	↔	↔	↔
01051	3	125	220	24	5.0
01053	3.5	125	220	24	6.4
01054	4	125	220	24	6.9
01055	4.5	125	220	24	6.9
01056	5	125	220	24	7.9
01057	5.5	125	220	24	7.9
01058	6	125	220	24	8.9
01059	7	125	230	28	10.9
01060	8	125	230	28	11.9
01061	9	125	230	28	12.9
01062	10	125	230	28	14.4
01063	11	125	240	32	15.9
01064	12	125	240	32	16.9
01065	13	125	240	32	18.4

## Slotted/ Phillips and slotted/ Pozidriv sets.



### 148 HK5 Classic slotted/ Phillips screwdriver set, 5-pcs.

#### Round blades.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Anti-Cam-Out ribs on tip sizes 5.5 / 7.0.  
Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.  
Application: For universal use in trade and industry.

Order-No.	Series	↔
00105	148 HK5	1
①	148	4.5x100 5.5x120 7.0x140
⊕	153	PH1x80 PH2x100



### 148 ZK5 Classic slotted/ Pozidriv screwdriver set, 5-pcs.

#### Round blades.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.  
Anti-Cam-Out ribs on tip sizes 5.5 / 7.0.  
Handle: Impact resistant Wiha Classic handle, resistant to chemicals and oils.  
Application: For universal use in trade and industry.

Order-No.	Series	↔
00108	148 ZK5	1
①	148	4.5x100 5.5x120 7.0x140
⊕	222	PZ1x80 PZ2x100

# Wiha special tools.

Scraper, clamp lifter, reamer, awl and small screwdriver.

## Special tools.



### K 430 20 Seal scraper.

Blade: Chrome-vanadium steel, through-hardened.

Handle: Wiha Power handle, impact, oil and grease resistant.

Application: For easy removing of sealing materials, e.g. in automotive applications.

Order-No.					
01532	25	150	260	36	10



### K 430 10 Trim pin remover.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Wiha Power handle, impact, oil and grease resistant.

Application: For fast removal of trim pins, e.g. on internal car panels.

Order-No.					
01531	7.5	175	285	36	10



### 300-2 Reamer with square tip and plastic handle.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Made of cellulose acetate, transparent red.

Application: For enlarging holes and drill holes.

Order-No.					
00679	6.0	100	185	34	10



### 301-2 Awl with round tip and plastic handle.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Made of cellulose acetate, transparent red.

Application: For pre-punching holes and drill holes.

Order-No.					
00683	6.0	100	185	34	10

## Wiha pocket screwdrivers.



### 500 Slotted pocket screwdriver.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Wiha round handle, transparent red with pen clip.

Order-No.	①					
01537	3.0	40	3.0	100	11	50
01538	3.0	60	3.0	120	11	50
01539	3.0	80	3.0	140	11	50



### 509 Slotted pocket screwdriver.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Wiha round handle, transparent yellow.








Order-No.	①					
01548	2.0	40	2.0	85	8	50



### 198-1 Classic reversible slotted/ Phillips screwdriver.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Handle: Wiha round handle, oil and grease resistant.

Order-No.							
00328	6.0	PH2	6	160	90	22	10

## Wiha Info



Reamers and awls are also available with wood handles, see page 35.