Wiha SYSTEM 4.

Ideal for precision work.

Colour-coded ChromTop® tips for maximum clarity.

Due to its versatility and quality the Wiha **SYSTEM 4** is a reversible blade system that convinces every user.

Either for slotted, Phillips, TORX® or hex screws, the wide product range provides the right model for every application.

All reversible blades are made of high-quality CVM-steel, through hardened and chrome-plated, which provides an extra long service-life. The Wiha ChromTop® tips guarantee a perfect fit every time.

Just choose from the SYSTEM 4 products for the relevant tool. Following handles are offered.

- The ergonomic **SoftFinish® telescopic handle**.
- The dissipative **SoftFinish® telescopic ESD handle**.

Each with adjustable blade lengths from 18 – 90 mm.

We offer SYSTEM 4 sets in compact roll-up pouches, rigid metal and easy access plastic boxes.

Convincing variety and quality. SYSTEM 4 – a real multi-tasker.



The ClickStop ball clamp in each telescopic handle allows 24 different visible blade lengths between 18 and 90 mm in 3 mm increments.

Wiha SYSTEM 4.

- Versatile reversible precision blade system
- Sets in compact roll-up pouches, rigid metal- or easy access plastic-boxes
- Ergonomic handles for almost every application
- Colour-coded blades made of high-quality, tough chrome-vanadium-molybdenum steel, through hardened, chrome-plated
- Wiha ChromTop® tips ensure a perfect fit every time

SYSTEM 4 handles.

2691 **SYSTEM 4 SoftFinish®-telescopic handle.**
Ergonomic multi-component handle with roll-off protection.

Handle: With 4 mm hex retainer for all SYSTEM 4 blades.
Enables adjustable blade lengths from 18 - 90 mm.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Application: Ideal for all precision work in the fields of electronics and mechanics.

Order-No.	○	↔	↕	▭
30373	4.0	105	23	10

2691ESD **SYSTEM 4 SoftFinish®-telescopic ESD handle.**
Dissipative handle, ESD-safe.

Handle: Ergonomic multi-component handle with roll-off protection.
With 4 mm hex retainer for all SYSTEM 4 blades.
Enables adjustable blade lengths from 18 - 90 mm.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.
Surface resistance 10^6 - 10^9 ohms.

Standards: IEC 61340-5-1.

Application: For working on electrostatically sensitive components.

Order-No.	○	↔	↕	▭
31498	4.0	105	23	10

Safety Notice:
Wiha ESD screwdrivers are non-insulated, therefore not suitable for working on live parts.

SYSTEM 4 reversible blades.

269 **SYSTEM 4 slotted reversible blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.

Order-No.	◐	◐	⊖↕	⊖↕	↔	⬢↕	▭
00576	1.5	3.0	0.25	0.5	120	4.0	5
00577	2.0	3.5	0.4	0.6	120	4.0	5
00578	2.5	4.0	0.4	0.8	120	4.0	5

269 **SYSTEM 4 slotted Phillips reversible blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.

Order-No.	◐	⊕	⊖↕	↔	⬢↕	▭
00601	2.0	PH00	0.4	120	4.0	5
00602	3.0	PH0	0.5	120	4.0	5
00603	4.0	PH1	0.8	120	4.0	5

269 **SYSTEM 4 Phillips reversible blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.

Order-No.	⊕	⊕	↔	⬢↕	▭
00579	PH000	PH00	120	4.0	5
00580	PH0	PH1	120	4.0	5

269 **SYSTEM 4 Pozidriv reversible blade.**

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.

Order-No.	✻	✻	↔	⬢↕	▭
03186	PZ0	PZ1	120	4.0	5

Wiha SYSTEM 4.

Ideal for precision work.

SYSTEM 4 reversible blades.

269 SYSTEM 4 TORX® reversible blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Colour-coded Wiha ChromTop® tips.

Order-No.					
26122	T1	T2	120	4.0	5
26123	T3	T4	120	4.0	5
26124	T5	T6	120	4.0	5
00597	T6	T8	120	4.0	5
00598	T7	T9	120	4.0	5
00599	T10	T15	120	4.0	5
00600	T15	T20	120	4.0	5

269 SYSTEM 4 combined ball end hex - hex reversible blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Colour-coded Wiha ChromTop® tips.

Extra: The ball end enables the user to work at angles up to 25°.

Order-No.					
00582	1.3	1.3	120	4.0	5
00583	1.5	1.5	120	4.0	5
00584	2	2	120	4.0	5
00585	2.5	2.5	120	4.0	5
00586	3	3	120	4.0	5
00587	4	4	120	4.0	5

SYSTEM 4 reversible blades.

269 SYSTEM 4 nut driver. For hex nuts.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Application: For hex nuts.

Order-No.					
00588	1.5	1.8	125	4.0	5
00589	2	2.5	125	4.0	5
00590	3	-	125	4.0	5
00591	3.2	-	125	4.0	5
00592	3.5	-	125	4.0	5
00593	4	-	125	4.0	5
00594	4.5	-	125	4.0	5
00595	5	-	125	4.0	5
00596	5.5	-	125	4.0	5

U759 00 SYSTEM 4 bit holder. Suitable for C 4 (4 mm) bits.

Blade: Chrome-vanadium steel, through hardened, electro-plated.

Order-No.					
09195	4.0	135	4.0	9	1

Wiha Info



Practical and compact:
select the appropriate blade –
insert it into the handle –
that's all there is to it!

SYSTEM 4 sets.

269 T4 **SYSTEM 4 reversible blades set, 4 pcs.**
Slotted/ Phillips.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.
Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series				
00613	269 T4				10
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
◐ ⊕	269	2.0 - PH00	3.0 - PH0	4.0 - PH1	



269 T6 **SYSTEM 4 reversible blades set, 6 pcs.**
Slotted/ Phillips.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.
Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series				
00616	269 T6				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
◐ ◐	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00	PH0 - PH1		

SYSTEM 4 sets.

269 T11 **SYSTEM 4 reversible blades set, 11 pcs.**
Slotted/ Phillips/ hex/ ball end hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.
Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series				
00610	269 T11				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
◐ ◐	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
⊕ ⊕	269	PH000 - PH00	PH0 - PH1		
◉ ◉	269	1.3 - 1.3	1.5 - 1.5	2 - 2	2.5 - 2.5
		3 - 3			

269 T6 01 **SYSTEM 4 reversible blades set, 6 pcs.**
Phillips/ TORX®.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.
Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series				
26121	269 T6 01				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
⊕ ⊕	269	PH000 - PH00	PH0 - PH1		
✱ ✱	269	T3 - T4	T5 - T6	T8 - T10	

Wiha SYSTEM 4.

Ideal for precision work.

SYSTEM 4 sets.

Telescopic

269 T11 01 **SYSTEM 4 reversible blades set, 11 pcs.**
Slotted/ Phillips/ TORX®/ hex/ ball end hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Colour-coded Wiha ChromTop® tips. Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle. ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: Robust roll-up pouches allows space-saving storage of tools.

Order-No.	Series				
27820	269 T11 01				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
	269	PH000 - PH00	PH0 - PH1		
	269	T6 - T8	T7 - T9		
	269	1.5 - 1.5	2 - 2	2.5 - 2.5	

SYSTEM 4 sets in plastic boxes.

Telescopic

269 EB53 **SYSTEM 4 reversible blades set, 5 pcs.**
Slotted/ Phillips.

Blade: High quality CVM steel, through hardened, chrome-plated. Colour-coded Wiha ChromTop® tips. Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle. ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Application: Ideal for all precision work.

Extra: Delivery in a rigid, arrangeable plastic box.

Order-No.	Series			
32317	269 EB53			5
	2691	SYSTEM 4 SoftFinish®-telescopic handle		
	269	1.5 - 3.0	2.0 - 3.5	
	269	PH000 - PH00	PH0 - PH1	

Wiha Info

Press sleeve:
=> Blade lock is released

Press and hold down sleeve:
=>Set desired blade length

Release sleeve:
=>Blade is held securely

Telescopic

269 EB95 **SYSTEM 4 reversible blades set, 9 pcs.**
Slotted/ Phillips/ TORX®.

Blade: High quality CVM steel, through hardened, chrome-plated. Colour-coded Wiha ChromTop® tips. Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic handle. ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Application: Ideal for all precision work.

Extra: Delivery in a rigid, arrangeable plastic box.

Order-No.	Series				
32316	269 EB95				5
	2691	SYSTEM 4 SoftFinish®-telescopic handle			
	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0	
	269	PH000 - PH00	PH0 - PH1		
	269	T6 - T8	T7 - T9	T10 - T15	

Safety Notice:
Wiha ESD screwdrivers are non-insulated, therefore not suitable for working on live parts.

SYSTEM 4 display and ESD set.

Telescopic

269 VB1 **SYSTEM 4 display.**
Acryl glass display with 85 pieces.

Order-No.	Series				
00620	269 VB1				
	2691	4xSYSTEM 4 SoftFinish®-telescopic handle			
	269	4x4.0			
	269	7x1.5	7x2.0		
	269	7xPH000	7xPH0		
	269	7x1.5	7x2	7x2.5	7x3
	269	7xT6	7xT7	7xT10	

Telescopic

2691 T11 ESD **SYSTEM 4 ESD reversible blades set, 11 pcs.**
Slotted/ Phillips/ TORX®/ hex/ ball end hex.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
Colour-coded Wiha ChromTop® tips.
Blade length is adjustable from 18 - 90 mm.

Handle: SYSTEM 4 SoftFinish®-telescopic ESD handle.
ESD-safe (dissipative), surface resistance 10^6 - 10^9 ohms.
ClickStop ball clamp guarantees a secure hold and rapid blade exchange.

Extra: In a roll-up pouch made of ESD-safe material.

Order-No.	Series			
31499	2691 T11 ESD			5
	2691ESD	SYSTEM 4 SoftFinish®-telescopic ESD handle		
	269	1.5 - 3.0	2.0 - 3.5	2.5 - 4.0
	269	PH000 - PH00	PH0 - PH1	
	269	T6 - T8	T7 - T9	
	269	1.5 - 1.5	2 - 2	2.5 - 2.5

SYSTEM 4 ESD sets.

Telescopic

7000 EB16 ESD **SYSTEM 4 ESD bit set, 16 pcs.**
Mixed sets.

Handle: SYSTEM 4 SoftFinish®-telescopic ESD handle.
ESD-safe (dissipative), surface resistance 10^6 - 10^9 ohms.
Enables adjustable bit holder blade length.

Standards: DIN 3126, ISO 1173, style C 4.
IEC 61340-5-1.

Case: No danger to electronic components with use of ESD-safe materials.
Tough, space-saving metal box.

Application: Bit set suitable for smallest screws with electronic components.
Flexible working via adjustable blade length and rapid replacement of bit inserts.

Order-No.	Series				
33503	7000 EB16 ESD				1
	2691ESD	1xSYSTEM 4 SoftFinish®-telescopic ESD handle			
	U759 00	1xSYSTEM 4 bit holder			
	U750	1x2.0	1x3.0		
	U751	1xPH000	1xPH00	1xPH0	1xPH1
	U757	1xT3	1xT4	1xT5	1xT6
		1xT8			
	U753	1x0.9	1x1.3	1x1.5	

Telescopic

7000 EB26 ESD **SYSTEM 4 ESD bit set, 26 pcs.**
Mixed sets.

Order-No.	Series				
33848	7000 EB26 ESD				1
	2691ESD	1xSYSTEM 4 SoftFinish®-telescopic ESD handle			
	U759 00	1xSYSTEM 4 bit holder			
	U750	1x1.5	1x2.0	1x3.0	1x4.0
	U751	1xPH000	1xPH00	1xPH0	1xPH1
	U757	1xT3	1xT4	1xT5	1xT6
		1xT7	1xT8	1xT9	1xT10
	U753	1x0.7	1x0.9	1x1.3	1x1.5
		1x2.0	1x2.5	1x3.0	1x4.0